

UPDATED: 20 JUNE 2022

Invasive alien species and other ocean stressors: Furthering the scientific knowledge and capacity basis in the Canary Current Large Marine Ecosystem

List of references

For the CCLME region

Non-native/invasive species in the CCLME

- Afonso-Carrillo, J., Sansón, M., Reyes, J. and González, B. 2003. Morfología y distribución de la rodófito alóctona *Neosiphonia harveyi*, y comentarios sobre otras algas marinas probablemente introducidas en las Islas Canarias. *Rev. Acad. Can. Cienc.* 14 (3-4), 83-98.
- Afonso-Carrillo, J., Sansón, M., Sangil, C. and Díaz-Villa, T. 2007. New Records of Benthic Marine Algae from the Canary Islands (Eastern Atlantic Ocean): Morphology, Taxonomy and Distribution. *Botanica Marina* 50, 119-127.
<https://doi.org/10.1515/BOT.2007.014>
- Afonso-Carrillo, J., Sangil, C. and Sansón, M. 2008. Notas corológicas sobre algas rojas gelatinosas efímeras de los fondos de las Islas Canarias. *Rev. Acad. Can. Cienc.* 19(4), 67-74.
- Agís, J., Ramil, F. and Vervoort, W. 2001. Atlantic Leptolida (Hydrozoa, Cnidaria) of the Families Aglaopheniidae, Halopterididae, Kirchenpaueriidae and Plumulariidae Collected during the CANCAP and Mauritania-II Expeditions of the National Museum of Natural History, Leiden, The Netherlands. *Zoologische Verhandelingen*.
- Aires, T., Serrão, E. A. and Engelen, A. H. 2016. Host and Environmental Specificity in Bacterial Communities Associated to Two Highly Invasive Marine Species (Genus *Asparagopsis*). *Frontiers in Microbiology* 7, 559.
<https://doi.org/10.3389/fmicb.2016.00559>
- Álvarez-Canali, D., Sangil, C. and Sansón, M. 2021. Fertile drifting individuals of the invasive alien *Sargassum muticum* (Fucales, Phaeophyceae) reach the coasts of the Canary Islands (eastern Atlantic Ocean). *Aquatic Botany* 168, 103322.
<https://doi.org/10.1016/j.aquabot.2020.103322>
- Arias, A., Giangrande, A., Gambi, M. C. and Anadon, N. 2013. Biology and New Records of the Invasive Species *Branchiomma bairdi* (Annelida: Sabellidae) in the Mediterranean Sea. *Mediterranean Marine Science* 14, 162-71.
<https://doi.org/http://dx.doi.org/10.12681/mms.1474>
- Árístegui, J. R. 1983. Estudio faunístico y ecológico de dos Briozoos Quilostomados (Ectoprocta, Cheilostomata) del circalitoral de Tenerife. *Colección Monografías* 13, 1-266.
- Árístegui, J. 1984. *Briozoos Quilostomados (Ectoprocta, Cheilostomata) de Canarias: Estudio Sistemático, Faunístico y*

- Biogeográfico*. Ph.D. Thesis, University of La Laguna, Spain.
- Arístegui, J. 1987. Introducción Al Estudio de Las Comunidades de Briozoos Más Representativas Del Litoral de Las Islas Canarias. *Cahiers de Biologie Marine* 28, 323-38.
- Audiffred, P. A. J. 1984. Marine algae of El Hierro (Canary Islands). *Vieraea* 14, 157-183.
- Boekschoten, G. J. and Best, M. B. 1988. Fossil and recent shallow water corals from the Atlantic islands off Western Africa. *Zoologische Mededelingen* 62, 99-112.
- Bravo, I., Rodríguez, F., Ramilo, I. and Afonso-Carrillo, J. 2020. Epibenthic Harmful Marine Dinoflagellates from Fuerteventura (Canary Islands), with Special Reference to the Ciguatoin-Producing *Gambierdiscus*. *J. Mar. Sci. Eng.* 8, 0909.
<https://doi.org/10.3390/jmse8110909>
- Brehmer, P., Ndiaye, W., Mbaye, A., Fricke, A., Hess, P., Mertens, K., Chomerat, N., Ndour, I., Diedhiou, F., de Magny, G. C., Sonko, A., Faye, S. and Galgani, F. 2021. Découverte de la présence d'une toxine ayant un effet sur la santé humaine, émise par une micro-algue marine sur la presqu'île du Cap-Vert (Sénégal) : pollution marine, dégradation des habitats marins et effets du changement climatique en Afrique de l'Ouest [Projet AWAtox, dossier Ostreopsis, août 2021]. *Note Politique AWA, CSRP-IRD, Dakar*, 13 pp. Available at:
https://horizon.documentation.ird.fr/exl-doc/pleins_textes/2021-09/010082398.pdf and https://isra.sn/wp-content/uploads/2021/10/Policy_Brief_AWAtox_Ostreopsis_Final-2.pdf (accessed 20 June 2022)
- Brito, A. and Lozano, G. 1981. Consideraciones zoogeográficas sobre la fauna ictiológica bentónica y epibentónica de las Islas Canarias. *I Jornadas de Ictiología Ibérica*, León, Spain.
- Brito, A., Falcón, J. M. and Herrera, R. 1995. Occurrence of the ocean triggerfish in the Eastern Atlantic (Canary Islands). *Journal of Fish Biology* 47, 1099-1101.
- Brito, A. and Falcón, J. M. 1996. Capture of the St. Helena butterflyfish, *Chaetodon sanctaehelenae* (Chaetodontidae) in the Canary Islands. *Cybiu* 20 (1), 99-100.
- Brito, A., Falcón, J. M. and Herrera, R. 2005. Sobre la tropicalización reciente de la ictiofauna litoral de las islas Canarias y su relación con cambios ambientales y actividades antrópicas [About the recent tropicalisation of the littoral ichthyofauna of the Canary Islands and its relationship with environmental changes and human activities]. *Vieraea* 33, 525-525. Available at: <https://www.museosdetenerife.org/assets/downloads/publication-d2b4f332eb.pdf> (accessed 01 September 2021).
- Brito, M. C., Martin, D. and Núñez, J. 2005. Polychaetes associated to a *Cymodocea nodosa* meadow in the Canary Islands: assemblage structure, temporal variability and vertical distribution compared to other Mediterranean seagrass meadows. *Marine Biology* 146, 467-481.
<https://doi.org/10.1007/s00227-004-1460-1>
- Brito, A. and Falcón, J. M. 2007. Primera cita para Canarias de dos nuevos peces de origen tropical: *Diodon holocanthus* Linnaeus, 1758 y *Canthidermis maculata* (Bloch, 1786). *Revista de la Academia Canaria de Ciencias* 18 (4), 89-92.
- Brito, A., Clemente, S. and Herrera, R. 2011. On the occurrence of the African hind, *Cephalopholis taeniops*, in the Canary Islands (eastern subtropical Atlantic): introduction of large-sized demersal littoral fishes in ballast water of oil platforms?. *Biol Invasions* 13, 2185.
<https://doi.org/10.1007/s10530-011-0049-0>
- Brito, A., Dorta, C. and Falcón, J. M. 2014. First valid record of *Gymnothorax vicinus* (Pisces: Muraenidae) for macaronesian ecoregion (Canary Islands): A process of tropicalization? 2014. *Revista de la Academia Canaria de Ciencias* 26. 71-78.
- Brito, A., López, C., Ocaña, O., Herrera, R., Moro, L., Monterroso, O., Rodríguez, A., Clemente, S. and Sánchez, J. J. 2017. Colonización y expansión en Canarias de dos corales potencialmente invasores introducidos por las plataformas petrolíferas [Colonization and expansion of two potentially invasive coral species in the Canary Islands introduced through oil

- platforms]. *Vieraea* 45, 65-82.
<https://doi.org/10.31939/vieraea.2017.45.04>
- Brito, A., Moreno-Borges, S., Escáñez, A., Falcón, J. M. and Herrera, R. 2017. New records of Actinopterygian fishes from the Canary Islands: tropicalization as the most important driving force increasing fish diversity. *Rev. Acad. Canar. Cienc.* XXIX, 31-44.
- CAB International. 2004. *Prevention and Management of Alien Invasive Species: Forging Cooperation throughout West Africa*. Proceedings of a workshop held in Accra, Ghana, 9-11 March 2004. CAB International, Nairobi, Kenya.
- Cassano, V., Gil-Rodríguez, M. C., Sentíes, A. and Fujii, M. T. 2008. *Laurencia caduciramulosa* (Ceramiales, Rhodophyta) from the Canary Islands, Spain: A new Record for the Eastern Atlantic Ocean. *Botanica Marina* 51, 156-158.
<https://doi.org/10.1515/BOT.2008.021>
- Castro, N., Carlton, J. T., Costa, A. C., Marques, C. S., Hewitt, C. L., Cacabelos, E., Lopes, E., Gizzi, Gestoso, I., Monteiro, J. G., Costa, J. L., Parente, M., Ramalhosa, P., Fofonoff, R., Chainho, P., Haroun, R., Santos, R. S., Herrera, R., Marques, T. A., Ruiz, G. M., Canning-Clode, J. 2022. Diversity and patterns of marine non-native species in the archipelagos of Macaronesia. *Diversity and Distributions*.
<https://doi.org/10.1111/ddi.13465>
- Castro-Hernández, J. J. 2001. First record of *Selene dorsalis* (Gill, 1862) (Osteichthyes: Carangidae) in the Canary Islands (Centraleast Atlantic). *Bol. Inst. Esp. Oceanogr.* 17 (3 and 4), 333-335.
- CCLME Project. 2016. Canary Current Large Marine Ecosystem (CCLME) Transboundary Diagnostic Analysis (TDA). CCLME Project Coordination Unit, Dakar, Senegal: 140 pp. Available at: <http://www.fao.org/3/a-br707e.pdf> (accessed 07 September 2021).
- Chaouti, A., Belattmania, Z., Nadri, A., Serrão, E. A., Encarnação, J., Teodósio, A., Reani, A. and Sabour, B. 2022. The invasive Atlantic blue crab *Callinectes sapidus* Rathbun, 1896 expands its distributional range southward to Atlantic African shores: first records along the Atlantic coast of Morocco. *BiolInvasions Records* 11(1), 227–237.
<https://doi.org/10.3391/bir.2022.11.1.23>
- Clemente, S., Rodríguez, A., Brito, A., Ramos, A., Monterroso, Ó. and Hernández, J. C. 2010. On the occurrence of the hydrocoral *Millepora* (Hydrozoa: Milleporidae) in the subtropical eastern Atlantic (Canary Islands): is the colonization related to climatic events. *Coral Reefs* 30, 237-240.
<https://doi.org/10.1007/s00338-010-0681-7>
- Couce-Montero, L., Bilbao-Sieyro, A., Pérez-González, Y., Abramic, A. and Castro-Hernández, J. J. 2019. *Analysis of the professional fishing sector in Macaronesia under MSFD. Finding the Balance of Blue Growth Sustainable Development within Ecosystem Approach (Act. 2.1.1 c&d)*. GMR Canarias, S.A.U. & ECOAQUA-ULPGC. Report prepared as part of PLASMAR Project (co-financed by ERDF as part of POMAC 2014-2020). 120 pp. Available at: https://accedacris.ulpgc.es/bitstream/10553/56367/2/Analysis%20of%20the%20professional%20fishing%20sector%20in%20Macaronesia%20under%20MSFD_PLASMAR%20Project.pdf
- Cruz, T. 2002. *Esponjas Marinas de Canarias*. Consejería de Política Territorial y Medio Ambiente del Gobierno de Canarias. Santa Cruz de Tenerife, Spain. 260 pp.
- De Grave, S., Pachel, P. G. and Wirtz, P. 2016. The first record of *Microprosthema inornatum* Manning & Chace, 1990 (Decapoda, Spongicolidae) from the tropical Eastern Atlantic. *Crustaceana* 89, 123-128.
<https://doi.org/10.1163/15685403-00003506>
- Dooley, J. K., van Tassell, J. and Brito, A. 1985. An annotated checklist of the shorefishes of the Canary Islands. *American Museum of Natural History* 2824, 1-49.
- Duran, S., Giribet, G. and Turon, X. 2004. Phylogeographical history of the sponge *Crambe crambe* (Porifera, Poecilosclerida): range expansion and recent invasion of the Macaronesian Islands from the Mediterranean Sea. *Molecular Ecology* 13, 109–122. <https://doi.org/10.1046/j.1365-294X.2003.02022.x>

- Espino, F., Ramírez, B. and Brito, A. 2015. Occurrence of the Torroto Grunt, *Genyatremus cavifrons* (Cuvier, 1830) (Actinopterygii: Haemulidae) In the Canary Islands (Eastern Atlantic Ocean). *Revista de la Academia Canaria de Ciencias* 27, 91-97.
- Espino, F., Tuya, F. and Brito, A. 2015. Occurrence of the African sergeant, *Abudefduf hoefleri* (Steindachner, 1881) (Actinopterygii: Pomacentridae) in the Canary Islands waters. *Revista de la Academia Canaria de Ciencias* 27, 83-89.
- Espino, F., Tuya, F., del Rosario, A., Bosch, N. E., Coca, J., González-Ramos, A. J., del Rosario, F., Otero-Ferrer, F. J., Moreno, A. C. and Haroun, R. 2019. Geographical range extension of the Spotfin burrfish, *Chilomycterus reticulatus* (L. 1758), in the Canary Islands: A Response to Ocean Warming? *Diversity* 11(12), 230.
<https://doi.org/10.3390/d11120230>
- Espino, F., Otero-Ferrer, F. J., Bosch, N. E., Coca, J., Haroun, R. and Tuya, F. 2020. Wide-spread demographic explosion of a non-indigenous hydrozoan on an oceanic island. *Sci. Mar.* 84(2), 000-000.
<https://doi.org/10.3989/scimar.04949.09A>
- Falcón, J. M. 2015. *Ictiofauna de las Islas Canarias. Análisis biogeográfico*. Tesis Doctoral (unpublished). University of La Laguna.
- Falcón, J. M., Herrera, R., Ayza, O. and Brito, A. 2015. New species of tropical littoral fish found in Canarian waters. Oil platforms as central introduction vector. *Rev. Acad. Canar. Cienc.* XXVII, 67-82.
- Falcón, J. M., Brito, A., Herrera, R., Monterroso Hoyos, O., Rodríguez, M., Álvarez, O., Ramos, E. and Miguel, A. 2018. New records of tropical littoral fishes from the Canary Islands as a result of two driving forces: natural expansion and introduction by oil platforms. *Rev. Acad. Canar. Cienc.* XXX, 39-56.
- Falcón, J. M. and Monterroso Hoyos, O. 2018. *Caracterización y seguimiento de poblaciones de peces exóticos en el entorno del Puerto de Santa Cruz de Tenerife y áreas de la Red Natura próximas – Memoria Final*. Programa de Cooperación INTERREG V-A MAC 2014-2020. Dirección General de Protección de la Naturaleza Viceconsejería de Medio Ambiente del Gobierno de Canarias. Available at: https://www.proyctomimarplus.com/wp-content/uploads/2020/09/SEGPECES_EXOT_TENERIFE_Mem_Final.pdf (accessed 01 September 2021).
- Falcón, J. M., Brito, A., Herrera, R., Ayza, O. and Moro, L. (in press). *Peces marinos tropicales exóticos en Canarias*. Gobierno de Canarias, Proyecto MIMAR (MAC/4.6d/066).
- Freitas, R. and Soares, J. 2011. Confirma-se a presença de uma espécie de coral invasora (não indígena) na baía do Porto Grande. *Weekly journal 'A Semana'*.
- Freitas, R., Luiz, O. J., Silva, P. N., Floeter, S. R., Bernardi, G. and Ferreira, C. E. L. 2014. The occurrence of *Sparisoma frondosum* (Teleostei: Labridae) in the Cape Verde Archipelago, with a summary of expatriated Brazilian endemic reef fishes. *Marine Biodiversity* 44, 173-79.
<https://doi.org/10.1007/s12526-013-0194-z>
- Gallardo, T., Bárbara, I., Afonso-Carrillo, J., Bermejo, R., Altamirano, M., Garreta, A. G., Martí, M. C. B., Lluch, J. R., Ballestera, E. and De la Rosa, J. 2016. A new checklist of benthic marine algae of Spain. *ALGAS, Boletín Informativo de la Sociedad Española de Ficología* 51, 7-52.
- García-Jiménez, P., Geraldino, P. J. L., Boo, S. M. and Robaina, R. R. 2008. Red alga *Grateloupia imbricata* (Halymeniaceae), a species introduced into the Canary Islands. *Phycological Research* 56, 166-171.
<https://doi.org/10.1111/j.1440-1835.2008.00498.x>
- García-Mederos, A. M. and Tuset, V. 2014. First record of African brown snapper *Lutjanus dentatus* in the Canary Islands (northeastern Atlantic Ocean). *Marine Biodiversity Records* 7, e65, 1-3.
<https://doi.org/10.1017/S1755267214000682>
- Gavio, B. and Fredericq, S. 2002. *Grateloupia turuturu* (Halymeniaceae, Rhodophyta) is the correct name of the non-native species in the Atlantic known as *Grateloupia doryphora*. *European Journal of Phycology* 37(3), 349-359.

<https://doi.org/10.1017/S0967026202003839>

Gil-Rodríguez, M. C. and Afonso-Carrillo, J. 1980. Adiciones a la flora marina y catálogo ficológico para la isla de Lanzarote. *Vieraea* 10 (1–2), 59–70.

Gomes, R. 1983. Primera cita para el Atlántico (Islas Canarias) de *Bedevea paiva* (Crosse, 1864). *Bolletín Malacológico* 19, 249–252.

González, J. A., Martín, L., Herrera, R., González-Lorenzo, G., Espino, F., Barquín-Diez, J. and Southward, A. J. 2011. Cirripedia of the Canary Islands: distribution and ecological notes. *Journal of the Marine Biological Association of the United Kingdom* 92, 129–141.

<https://doi.org/10.1017/s002531541100066x>

González, J. A. and Santana, J. I. 1986. Sobre la presencia de *Lutjanus goreensis* (Valenciennes, 1830) (Osteichthyes: Lutjanidae) en aguas de Canarias. *Vieraea* 16, 283–286.

González, J. A., González-Jiménez, J. F., Triay-Portella, R., Jiménez, S., González-Lorenzo, G. and Biscoito, M. 2016. On the presence of *Trachinus pellegrini* (Trachinidae) in the Canary and Cape Verde Islands (north-eastern Atlantic). *Cybium* 40(2), 173–177.

González, J. A., Triay-Portella, R., Escribano, A. and Cuesta, J. A. 2017. Northernmost record of the pantropical portunid crab *Cronius ruber* in the eastern Atlantic (Canary Islands): natural range extension or human-mediated introduction? *Sci. Mar.* 81(1), 81–89.

<http://dx.doi.org/10.3989/scimar.04551.17B>

Gruvel, A. 1920. "Cirrhépèdes". Résultats des campagnes scientifiques accomplies sur son yacht par Albert 1er. *Prince Souverain de Monaco* 53, 1–88.

Guerra-García, J. M., Ros, M., Dugo-Cota, A., Burgos, V., Flores-León, A. M., Baeza-Rojano, E., Cabezas, M. P. and Núñez, J. 2011. Geographical expansion of the invader *Caprella scaura* (Crustacea: Amphipoda: Caprellidae) to the East Atlantic coast. *Marine Biology* 158, 2617–2622.

<https://doi.org/10.1007/s00227-011-1754-z>

Haroun, R. J., Gil-Rodríguez, M. C., de Castro, J. D. and Prud'homme van Reine W. F. 2002. A

checklist of the marine plants from the Canary Islands (Central Eastern Atlantic Ocean). *Botanica Marina* 45, 139–69.

<https://doi.org/10.1515/BOT.2002.015>

Hartmeyer, R. 1912. Die Ascidien der Deutschen Tiefsee Expedition. *Deutschen Tiefsee-Expedition* 1, 223–392.

Herrera, R., Moro, L., Aiza, O., Núñez, J., Camacho, C., Martín, J., Brito, T., Bacallado, J. J. and Ortea, J. 2017. Primeros registros de invertebrados marinos para las Islas Canarias (II). *Revista de La Academia Canaria de Ciencias* XXIX, 257–72.

Herrera, R., Moro, L., Martín, J. W., Ocana, O., Bacallado, J. J. and Ortea, J. 2016. Primeros registros de invertebrados marinos para las Islas Canarias. *Revista de La Academia Canaria de Ciencias*, XXVIII, 231–42.

ICES. 2006. *Report of the ICES Working Group on Introduction and Transfers of Marine Organisms (WGITMO)*. 16–17 March 2006, Oostende, Belgium. ICES CM 2006/ACME:05. 334 pp.

Inejih, C. A., Mahfoudh, O. T. S. and Diadhiou, H. D. 2014. *Assessment of the state of marine biodiversity in the region of the CCLME – Study report*. Canary Current Large Marine Ecosystem Project (CCLME). Available at:

<http://www.fao.org/3/br707e/br707e.pdf> (accessed 01 September 2021)

Johnston, C. S. 1969. The Ecological Distribution and Primary Production of Macrophytic Marine Algae in the Eastern Canaries. *Internationale Revue der gesamten Hydrobiologie und Hydrographie* 54, 473–490.

<https://doi.org/10.1002/iroh.19690540402>

Jullien, J. and Calvet, L. 1903. Bryozoaires Provenant des Campagnes de l'Hirondelle (1886–1888). *Résultats des Campagnes Scientifiques Accomplies sur son Yacht par Albert 1er Prince Souverain de Monaco* 23, 1–188.

Knight-Jones, E. W. and Knight-Jones, P. 1980. Pacific spirorbids in the East Atlantic. *Journal of the Marine Biological Association of the United Kingdom* 60, 461–464.

<https://doi.org/10.1017/S0025315400028472>

- Lopes, E. P. 2010. Recent data on marine bivalves (Mollusca, Bivalvia) of the Cape Verde Islands, with records of six species new to the archipelago. *Zoologia Caboverdiana* 1, 59–70.
- López, C., Clemente, S., Moreno, S., Ocaña, O., Herrera, R., Moro, L., Monterroso, O., Rodríguez, A. and Brito, A. 2019. Invasive *Tubastraea* spp. and *Oculina patagonica* and other introduced scleractinians corals in the Santa Cruz de Tenerife (Canary Islands) harbor: Ecology and potential risks. *Regional Studies in Marine Science* 29, 100713. <https://doi.org/10.1016/j.rsma.2019.100713>
- Maldonado, A. and Uriz, M. J. 1996. Skeletal morphology of two controversial Poecilosclerid genera (Porifera, Demospongiae): *Discorhabdella* and *Crambe*. *Helgoländer Meeresuntersuchungen* 50, 369–390.
- Martin, J., Triay-Portella, R., Pajuelo, J. G., Nespereira, J., González, J., Luque, A. and Izquierdo, I. 2019. Sampling techniques evaluation for monitoring and control of a non-native crab population. *Frontiers in Marine Science* 6.
- Martín, M. J., Sansón, M. and Reyes, J. 1996. Morphology and anatomy of *Papenfussiella kuromo* (Chordariaceae, Phaeophyta) from the Canary Islands. *Cryptogamie, Algologie* 17, 165–173. <https://doi.org/10.3389/conf.fmars.2019.08.00110>
- Martínez, A., Mora, J., Palmero, A. M. and Nuñez, J. 2007. Primer registro del prosobranquio *Terebra corrugata* (Lamarck, 1822) (Mollusca, Gastropoda) en el litoral de Canarias. *Vieraea* 35, 87–91.
- Minchin, D. 2012. Rapid assessment of the bryozoan, *Zoobotryon verticillatum* (Delle Chiaje, 1822) in marinas, Canary Islands. *Marine Pollution Bulletin* 64, 2146–2150.
- Minchin, D., Lodola, A. and Occhipinti-Ambrogi, A. 2012. The occurrence of *Caprella scaura* (Amphipoda: Caprellidae) in marinas in Lanzarote Island (Canary Archipelago, Macaronesia). *Marine Biodiversity Records* 5, 1–5. <https://doi.org/10.1017/S175526721200098X>
- Ministerio de Agricultura, Alimentación y Medio Ambiente. 2016. *Estrategias Marinas de España. Estudio Ambiental Estratégico. Evaluación Ambiental Estratégica*. Madrid. Available at: https://www.miteco.gob.es/es/costas/temas/proteccion-medio-marino/eaeemmm_memoria_post_tcm30-497789.pdf
- Monteiro, C. 2012. Sucessão Ecológica de Organismos Na Marina Do Mindelo. University of Cabo Verde.
- Monterroso, O. and Falcón, J. M. 2018. *Caracterización y seguimiento de poblaciones de peces exóticos en el entorno del Puerto de Las Palmas y áreas de la Red Natura próximas – Memoria Final*. Proyecto MIMAR (MAC/4.6D/066) Viceconsejería de Medio Ambiente del Gobierno de Canarias. Dirección General de Protección de la Naturaleza. 88 pp. Available at: <https://www.proyctomimarplus.com/caracterizacion-y-seguimiento-de-poblaciones-de-peces-exoticos-en-el-entorno-del-puerto-de-las-palmas-y-areas-de-la-red-natura-proximas/?lang=fr> (accessed 04 October 2021).
- Moreno-Borges, S., Escánez, A. and Brito, A. 2019. First occurrence of the blackspot conger, *Paraconger macrops* (Actinopterygii: Anguilliformes: Congridae), in the waters of the Canary Islands: A comparative study of eastern Atlantic *Paraconger* species. *Acta Ichthyologica et Piscatoria; Szczecin* 49(1), 89–93. <https://doi.org/10.3750/AIEP/02518>
- Moro, L., Herrera, R., Aiza, O., Cozzi, S., de La Paz, J. C., Bacallado, J. J. and Ortea, J. 2018. Primeros registros de invertebrados marinos para las Islas Canarias (III). *Revista de La Academia Canaria de Ciencias* XXX, 157–178.
- Moro, L., Martín, J. L., Garrido, M. J. and Izquierdo, I. (Eds) 2003. *Lista de especies marinas de Canarias (algas, hongos, plantas y animales) 2003*. Consejería de Política Territorial y Medio Ambiente del Gobierno de Canarias, Tenerife, Spain, 248 pp.
- Moro, L., Riera, R., Matsumoto, G. and Ortea, J. 2011. Primera cita de *Vallicula multiformis* Rankin, 1956 (Ctenophora: Paltyctenida) para Canarias y Cuba. *Revista de La Academia Canaria de Ciencias* XXII, 79–84.

- Morri, C., Vietti, R. C., Sartori, G. and Bianchi, C. N. 2000. Shallow water epibenthic communities of ilha do Sal (Cape Verde Archipelago, Eastern Atlantic). *Arquipelago - Life and Marine Sciences Suppl. 2* (Part A), 157-165.
- Ndour, I., Ndiaye, W. N., Thiam, N., Thiaw, M., Baldé, B. S., Ndiaye, O., Sadio, N., Diène, O., Ndiaye, D., Faye, S., Niang, M. 2021. L'huître perlière décrite pour la première fois dans les eaux côtières du Sénégal. *La Lettre de l'ISRA N° 18*, 12-13. https://isra.sn/wp-content/uploads/2022/01/lettre-ISRA-N%C2%B0_18.pdf
- Núñez, J., Brito, M. C. and Docoito, J. R. 2005. Annelid Polychaetes from Canaries: Catalogue of species, distribution and habitats. *Vieraea* 33, 297-321.
- Ocaña, O. and Den Hartog, J. C. 2002. A catalogue of actiniaria and corallimorpharia from the Canary Islands and from Madeira. *Arquipélago - Life and Earth Science* 19A, 33-54.
- Ortea, J. A., Moro, L., Bacallado, J. J. and Herrera, R. 2000. Catálogo actualizado de los moluscos opisthobranchios de las islas Canarias. *Revista de La Academia Canaria de Ciencias* XII, 105-134.
- Osaer, F. and Narváez, K. 2017. First record of the starfish *Luidia atlantidea* in the Canary Islands. *Arquipelago - Life and Marine Sciences* 35, 19-21.
- Otero-Ferrer, F., Herrera, R., López, A., Socorro, J., Molina, L. and Bouza, C. 2015. First records of *Hippocampus algiricus* in the Canary Islands (north-east Atlantic Ocean) with an observation of hybridization with *Hippocampus hippocampus*. *Journal of Fish Biology* 87(4), 1080-1089. <https://doi.org/10.1111/jfb.12760>
- Otero-Schmitt, J. Sanjuan, A. 1992. Epibiotic seaweeds of the Cape Verde islands. *Botanica Marina* 35, 379-390. <https://doi.org/10.1515/botm.1992.35.5.379>
- Pajuelo, J. G., González, J. A., Triay-Portella, R., Martín, J. A., Ruiz-Díaz, R., Lorenzo, J. M. and Luque, A. 2016. Introduction of non-native marine fish species to the Canary Islands waters through oil platforms as vectors. *Journal of Marine Systems* 163, 23-30. <https://doi.org/10.1016/j.jmarsys.2016.06.008>
- Pérez, J.M. and Moreno, E. 1991. *Invertebrados marinos de Canarias*. Las Palmas de Gran Canaria: Cabildo Insular de Gran Canaria.
- Pineda, M. C., López-Legentil, S. and Turon, X. 2011. The whereabouts of an ancient wanderer: global phylogeography of the solitary ascidian *Styela plicata*. *PLoS ONE* 6 (9). <https://doi.org/10.1371/journal.pone.0025495>
- Prud'Homme van Reine, W. F., Haroun, R. J. and Kostermans, L. B. T. 2005. Checklists on seaweeds in the Atlantic Ocean and in the Cape Verde Archipelago. *Botany/Botanica*, January, 13-25.
- Ramírez, R. and Riera, R. 2013. First record of *Ligia oceanica* (Linnaeus 1767 (Isopoda: Ligiidae) in the Canary Islands. *Arquipelago - Life and Marine Sciences* 30.
- Ramírez, B., Ortega, L., Montero, D., Tuya, F. and Haroun, R. 2015. Monitoring a Massive Escape of European Sea Bass (*Dicentrarchus Labrax*) at an Oceanic Island: Potential Species Establishment. *J. Aquac. Res. Development* 6, 339. <https://doi.org/10.4172/2155-9546.1000339>
- Reyes, J., Sansón, M. and Afonso-Carrillo, J. 1993. Notes on some interesting marine algae new from the Canary Islands. *Cryptogamic Botany* 4, 50-59.
- Rico, V., Santana, J. I. and González, J. A. 1995. Occurrence of *Dentex* (Polysteganus) *angolensis* Poll and Maul, 1953 (Sparidae) in the Canary Islands. *Cybium* 19 (4), 323-432.
- Riera, R., Ramos, E., Herrera, R. and Moro, L. 2014. *Jassa marmorata* (Holmes, 1905) and *Monocorophium acherusicum* (Costa, 1853) new amphipods (Crustacea: Amphipoda) to the Canary Islands. *Revista de La Academia Canaria de Ciencias* XXVI, 27-31.
- Riera, R., Espino, F. and Moro, L. 2016. Progressing the invasion of the hydrozoan *Macrorhynchia philippina* (Kirchenpauer, 1872) in the Atlantic archipelagos. *Vieraea* 44, 117-120.
- Ritchie, J. 1907. On Collections of the Cape Verde Islands Marine Fauna, made by Cyril Crossland, M.A. (Cantab.), B.Sc. (Lond.), F.Z.S., of St'. Andrews University, July to

- September, 1904.-The Hydroids. *Proceedings of the Zoological Society of London* 77, 488-517. <https://doi.org/10.1111/j.1469-7998.1907.tb06944.x>
- Rojas-González, B., Afonso-Carrillo, J. and Ibeas, C. 1994. New Records of Rhodomelaceae (Rhodophyta) from the Canary Islands. *Botanica Marina* 37, 133-138.
- Rojas-González, B. and Afonso-Carrillo, J. 2004. Morfología y distribución de *Lophocladia trichoclados* en las islas Canarias (Rhodophyta, Rhodomelaceae). *Vieraea* 32, 63-74.
- Rolán, R. 2005. *Malacological Fauna from the Cape Verde Archipelago*. Part1, Polyplacophora and Gastropoda. Conchbooks. 455pp.
- Rosa González, L. G. 2020. *Nuevas especies en el medio marino de Canarias: Vías de introducción*. [New species in the marine environmental of the Canary Islands: Introduction routes]. Trabajo de Fin de Grado. University of La Laguna. Available at: <https://riull.ull.es/xmlui/bitstream/handle/915/21703/Nuevas%20especies%20en%20el%20medio%20marino%20de%20Canarias%20Ovias%20de%20introduccion..pdf?sequence=1&isAllowed=y> (accessed 01 September 2021).
- Ruiz-Díaz, R., Triay-Portella, R., González, J., Luque, A., Lorenzo, J. and Pajuelo, J. 2016. Reproductive capability of non-indigenous species introduced in Gran Canaria associated to oil platforms. *Front. Mar. Sci. Conference Abstract: XIX Iberian Symposium on Marine Biology Studies*. <https://doi.org/10.3389/conf.FMARS.2016.05.00189>
- Ryland, J. S., Bishop, J. D. D., de Blauwe, H., El Nagar, A., Minchin, D., Wood, C. A. and Yunnice, A. L. E. (2011). Alien species of Bugula (Bryozoa) along the Atlantic Coasts of Europe. *Aquatic Invasions* 6, 17–31. <https://doi.org/10.3391/ai.2011.6.1.03>
- Sabour, B., Reani, A., Magouri, H. E. L. and Haroun, R. 2013. Sargassum muticum (Yendo) Fensholt (Fucales, Phaeophyta) in Morocco, an invasive marine species new to the Atlantic coast of Africa. *Aquatic invasions* 8 (1), 97-102. <http://dx.doi.org/10.3391/ai.2013.8.1.11>
- Sangil, C., Herrera, R., Martín-García, L., Sansón, M., Díaz-Villa, T., Afonso-Carrillo, J. and Rodríguez, A. 2012. Changes in subtidal assemblages in a scenario of warming: proliferations of ephemeral benthic algae in the Canary Islands (Eastern Atlantic Ocean). *Marine Environmental Research* 77, 120-128. <https://doi.org/10.1016/j.marenvres.2012.03.004>
- Sangil, C., Martín-García, L., Afonso-Carrillo, J., Barquín, J. and Sansón, M. 2018. *Halimeda incrassata* (Bryopsidales, Chlorophyta) reaches the Canary Islands: mid- and deep-water meadows in the eastern subtropical Atlantic Ocean. *Botanica Marina* 61(2), 103-110. <https://doi.org/10.1515/bot-2017-0104>
- Sangil, C. and Pérez-San Juan, A. 2020. Spread of *Caulerpa cylindracea* impacts: The colonization of Atlantic intertidal communities. *Regional Studies in Marine Science* 34, 100989. <https://doi.org/10.1016/j.rsma.2019.100989>
- Sangil, C., Sansón, M., Afonso-Carrillo, J. and Martín-García, L. 2010. Extensive off-shore meadows of *Penicillus capitatus* (Udoteaceae, Chlorophyta) in the Canary Islands (eastern Atlantic Ocean). *Botanica Marina* 53(2), 183-187. <https://doi.org/10.1515/BOT.2010.015>
- Sangil, C., Sansón, M., Afonso-Carrillo, J., Herrera, R., Rodríguez, A., Martín-García, L. and Díaz-Villa, T. 2012. Changes in subtidal assemblages in a scenario of warming: Proliferations of ephemeral benthic algae in the Canary Islands (eastern Atlantic Ocean), *Marine Environmental Research* 77, 120-128. <https://doi.org/10.1016/j.marenvres.2012.03.004>
- Sansón, M. 1994. Notes on Ceramiaceae (Rhodophyta) from the Canary Islands: new records and observations on morphology and geographical distribution. *Botanica Marina* 37, 347-356. <https://doi.org/10.1515/botm.1994.37.4.347>
- Sansón, M., Reyes, J. and Afonso-Carrillo, J. 1991. Contribution to the seaweed flora of the Canary Islands: new records of Florideophyceae. *Botanica Marina* 34, 527-36.

<https://doi.org/10.1515/botm.1991.34.6.527>

- Sansón, M., and Reyes, J. 1995. Morphological and Geographical Observations on Four Species of Ceramiaceae (Rhodophyta) New to the Canary Islands. *Botanica Marina* 38, 89-96.
<https://doi.org/10.1515/botm.1995.38.1-6.89>
- Sansón, M., Reyes, J., Afonso-Carrillo, J., and Muñoz, E. 2002. Sublittoral and deep-water red and brown algae new from the Canary Islands. *Botanica Marina* 45, 35-49.
<https://doi.org/10.1515/BOT.2002.005>
- Soler-Onís, E., Fernández Zabala, J., Ojeda-Rodríguez, A. and Amorim, A. 2016. Bloom of *Gambierdiscus caribaeus* in the temperate-subtropical waters of El Hierro, Canary Islands (North East Atlantic). *Harmful Algae News* 55, 14-16. <http://www.e-pages.dk/ku/1259> (accessed 04 October 2021).
- Soler Onís, E., Fernández Zabala, J. and Ramirez, A. S. 2019. First records of *Gambierdiscus excentricus* and *Ostreopsis lenticularis* in the Cape Verde Archipelago (Macaronesia, Central Eastern Atlantic). *Harmful Algae News* 65, 8-9. Available at: <http://www.e-pages.dk/ku/1439> (accessed 09 September 2021).
- Spain. 2013. Real Decreto 630/2013, de 2 de agosto, por el que se regula el Catálogo español de especies exóticas invasoras. *Boletín Oficial del Estado*, 3 August 2013, No. 185. Available at: <https://www.boe.es/eli/es/rd/2013/08/02/630/con> (accessed 02 November 2021).
- Spain. 2019. Real Decreto 216/2019, de 29 de marzo, por el que se aprueba la lista de especies exóticas invasoras preocupantes para la región ultraperiférica de las islas Canarias y por el que se modifica el Real Decreto 630/2013, de 2 de agosto, por el que se regula el Catálogo español de especies exóticas invasoras. *Boletín Oficial del Estado*, 30 March 2019, No. 77, 32902-32921. Available at: <https://www.boe.es/eli/es/rd/2019/03/29/216> (accessed 02 November 2021).
- Stubbings, H. G. 1967. The Cirriped fauna of tropical west Africa bulletin. *Bulletin of the British Museum (Natural History) Zoology* 15 (6).
- Tavares, A. I., Assis, J., Patrício, A. R., Ferreira, R., Cheikh, M. A. S., Bandeira, S., Regalla, A., Santos, I., Potouroglou, M., Nicolau, S., Teodósio, M. A., Almada, C., Santos, R., Pearson, G. A. and Serrao, E. A. 2022. Seagrass Connectivity on the West Coast of Africa Supports the Hypothesis of Grazer-Mediated Seed Dispersal. *Front. Mar. Sci.* 9, 809721.
<https://doi.org/10.3389/fmars.2022.809721>
- Toledo-Guedes, K., Sanchez-Jerez, P., Mora-Vidal, J., Girard D. and Brito, A. 2012. Escaped introduced sea bass (*Dicentrarchus labrax*) infected by *Sphaerospora testicularis* (Myxozoa) reach maturity in coastal habitats off Canary Islands. *Marine ecology* 33(1), 26-31.
<https://doi.org/10.1111/j.1439-0485.2011.00470.x>
- Toledo-Guedes, K., Sanchez-Jerez, P. and Brito, A. 2013. Influence of a massive aquaculture escape event on artisanal fisheries. *Fisheries Management and Ecology* 21(2), 113-121.
<https://doi.org/10.1111/fme.12059>
- Toledo-Guedes, K., Sanchez-Jerez, P., Benjumea, M. E. and Brito, A. 2014. Farming-up coastal fish assemblages through a massive aquaculture escape event. *Marine Environmental Research* 98, 86-95.
<https://doi.org/10.1016/j.marenvres.2014.03.009>
- Triay-Portella, R., Pajuelo, J. G., Manent, P., Espino, F., Ruiz-Díaz, R., Lorenzo, J. M. and González, J. A. 2015. New records of non-indigenous fishes (Perciformes and Tetraodontiformes) from the Canary Islands (north-eastern Atlantic). *Cybium* 39(3), 163-174. Available at: <https://sfi-cybium.fr/en/new-records-non-indigenous-fishes-perciformes-and-tetraodontiformes-canary-islands-north-eastern> (accessed 01 September 2021).
- Triay-Portella, R., Martín, J. A., Luque, L. and Pajuelo J. G. 2022. Relevance of feeding ecology in the management of invasive species: prey variability in a novel invasive crab. *Estuarine, Coastal and Shelf Science* 274.
<https://doi.org/10.1016/j.ecss.2022.107949>

- Turon, X., Nishikawa, T. and Rius, M. 2007. Spread of *Microcosmus squamiger* (Ascidacea: Pyuridae) in the Mediterranean Sea and adjacent waters. *Journal of Experimental Marine Biology and Ecology* 342, 185-188.
- van Soest, R. W. M., Beglinger, E. J. and Voodg, N. J. 2014. Mycale species (Porifera: Poecilosclerida) of North- west Africa and the Macaronesian Islands. *Zoologische Mededelingen* 88(4), 59-109.
- Verlaque, M., Afonso-Carrillo, J., Gil-Rodríguez, M. C., Durand, C., Boudouresque, C. F. and Le Parco, Y. 2004. Blitzkrieg in a marine invasion: *Caulerpa racemosa* var. *cylindracea* (Bryopsidales, Chlorophyta) reaches the Canary Islands (north-east Atlantic). *Biological Invasions* 6(3), 269-281. <https://doi.org/10.1023/B:BINV.0000034589.18347.d3>
- Verlaque, M., Brannock, P. M., Komatsu, T., Villard-Bohnsack, M. and Marston, M. 2005. The genus *Grateloupia* C. Agardh (Halymeniaceae, Rhodophyta) in the Thau Lagoon (France, Mediterranean): a case study of marine plurispecific introductions. *Phycologia* 44: 477–496.
- Vickers, A. 1896. Contribution à la flore algologique des Canaries. *Annales des Sciences Naturelles, Botanique* 8, 293-306.
- Waters, A. 1918. Some collections of the littoral marine fauna of the Cape Verde islands, made by Cyril Crossland, M.A., B.Sc, F.Z.S, in the Summer of 1904. Bryozoa. *Journal of the Linnean Society of London, Zoology*, 1918. <https://doi.org/10.1111/j.1096-3642.1918.tb01779.x>
- Wirtz, P., Brito, A., Falcón, J. M., Freitas, R., Fricke, R., Monteiro, V., Reiner, F., & Tariche, O. 2013. The coastal fishes of the Cape Verde Islands – new records and an annotated check-list (Pisces). *Spixiana* 36, 113–142.

Biogeographical units/patterns

- Almada, V. C., Falcón, J. M., Brito, A., Levy, A., Floeter, S., Robalo, J. I. and Almada, F. 2013. Complex origins of the Lusitania biogeographic province and northeastern Atlantic fishes. *Frontiers of biogeography*, 5 (1): 20-28. Research Letter.
- Ávila, S. P., Cordeiro, R., Madeira, P., Silva, L., Medeiros, A., Rebelo, A. C., Melo, C., Neto, A. I., Haroun, R., Monteiro, A., Rijdsdijk, K. and Johnson, M. E. 2018. Global change impacts on large-scale biogeographic patterns of marine organisms on Atlantic oceanic islands. *Marine Pollution Bulletin* 126, 101-112 pp. <https://doi.org/10.1016/j.marpolbul.2017.10.087>
- Báez, J., Rodríguez-Cabello, C., Bañón, R., Brito, A., Falcón, J., Maño, T., Baro, J., Macías, D., Meléndez, M., Camiñas, J., Arias-García, A., Gil, J., Farias, C., Artexe, I., and Sánchez, F. 2019. Updating the national checklist of marine fishes in Spanish waters: An approach to priority hotspots and lessons for conservation. *Mediterranean Marine Science* 20(2), 260-270. <http://dx.doi.org/10.12681/mms.18626>
- Floeter, S. R., Rocha, L. A., Robertson, D. R., Joyeux, J. C., Smith-Vaniz, W. F., Wirtz, P., Edwards, A. J., Barreiros, J. P., Ferreira, C. E. L., Gasparini, J. L., Brito, A., Falcón, J. M., Bowen, B. W. and Bernardi, G. 2008. Atlantic reef fish biogeography and evolution. *Journal of Biogeography* 35, 22–47.
- Freitas, R., Romeiras, M., Silva, L., Cordeiro, R., Madeira, P., González, J. A., Wirtz, P., Falcón, J. M., Brito, A., Floeter, S. R., Afonso, P., Porteiro, F., Viera-Rodríguez, M. A., Neto, A. I., Haroun, R., Farminhão, J. N. M., Rebelo, A. C., Baptista, L., Melo, C. S., Martínez, A., Núñez, J., Berning, B., Johnson, M. E. and Ávila, S. P. 2019. Restructuring of the ‘Macaronesia’ biogeographic unit: A marine multi-taxon biogeographical approach. *Sci. Rep.* 9, 15792. <https://doi.org/10.1038/s41598-019-51786-6>

Ocean conditions / other stressors in the CCLME

Alfonso, B., Sansón, M., Sangil, C. and Hernández, J. C. 2016. Endemic macroalgae don't like it hot. *Front. Mar. Sci. Conference Abstract: XIX Iberian Symposium on Marine Biology Studies*. <http://doi.org/10.3389/conf.FMA.RS.2016.05.00030>

Jouffre, D., Domalain, G., Traoré, S., Thiam, D., Domain, F. and Inejih C. A. 2004. Détection de l'impact de la pêche sur les communautés démersales d'Afrique de l'Ouest par l'analyse multivariée sous contraintes. In: Chavance, Pierre, Moctar, B. and Gascuel, D. (eds). *Symposium International : Pêcheries Maritimes, Ecosystèmes et Sociétés en Afrique de l'Ouest : Un Demi Siècle de Changement [Marine fisheries, ecosystems and societies in West Africa: half a century of change]*.

Bruxelles : Office des Publications Officielles des Communautés Européennes, 15, 421-432. (Rapport de Recherche Halieutique ACP-UE ; 1). Available at: <https://www.documentation.ird.fr/hor/fdi:010045946> (accessed 18 October 2021).

Siemer, J. P., Machín, F., González-Vega, A., Arrieta, J. M., Gutiérrez-Guerra, M. A., Pérez-Hernández, M. D., Vélez-Belchí, P., Hernández-Guerra, A. and Fraile-Nuez, E. 2021. Recent trends in SST, Chl-*a*, productivity and wind stress in upwelling and open ocean areas in the upper Eastern North Atlantic subtropical gyre. *Journal of Geophysical Research: Oceans* 126, e2021JC017268. <https://doi.org/10.1029/2021JC017268>

Other relevant references

Bioinvasions and threatened species

Azzurro, E., Tuset, V. M., Lombarte, A., Maynou, F., Simberloff, D., Rodríguez-Pérez, A. and Solé, R. V. 2014. External morphology explains the success of biological invasions. *Ecology Letters* 17(11).

<https://doi.org/10.1111/ele.12351>

Castro, N., Ramalhosa, P., Jiménez, J., Lino Costa, J., Gestoso, I. and Canning-Clode, J. 2020. Exploring marine invasions connectivity in a NE Atlantic Island through the lens of historical maritime traffic patterns. *Regional Studies in Marine Science* 37, 101333.

<https://doi.org/10.1016/j.rsma.2020.101333>
[2352-4855](https://doi.org/10.1016/j.rsma.2020.101333)

Convention on Biological Diversity. 2018. Decision adopted by the Conference of the Parties to the Convention on Biological Diversity. Conference of the Parties to the Convention on Biological Diversity, fourteenth meeting. CBD/COP/DEC/14/11. Sharm El-Sheikh, Egypt. Available at: <https://www.cbd.int/doc/decisions/cop-14/cop-14-dec-11-en.pdf> (accessed 21 December 2021).

de Castro M. C. T., Fileman T. W., Hall-Spencer J. M. 2017. Invasive species in the Northeastern and Southwestern Atlantic Ocean: A review. *Mar. Pollut. Bull.* 116, 41-47.

<https://doi.org/10.1016/j.marpolbul.2016.12.048>

Diogoul, N., Brehmer, P., Demarcq, H., ElAyoubi, S., Thiam, A., Sarre, A., Mouget, A. and Perrot, Y. 2021. On the robustness of an eastern boundary upwelling ecosystem exposed to multiple stressors. *Scientific reports*, 11:1908.

<https://doi.org/10.1038/s41598-021-81549-1>

IUCN. 2020. In *IUCN Red List of Threatened Species*. <https://www.iucnredlist.org/en>

Molnar, J. L., Gamboa, R. L., Revenga, C. and Spalding, M. D. 2008. Assessing the global threat of invasive species to marine biodiversity. *Frontiers in Ecology and the Environment* 6(9).

<https://doi.org/10.1890/070064>

Farré, M., Lombarte, A., Tuset, V. M. and Abelló, P. 2021. Shape matters: relevance of

carapace for brachyuran crab invaders. *Biol Invasions* 23, 461–475.
<https://doi.org/10.1007/s10530-020-02378-3>

- Landeira, J. M., Liu, B., Omura, T., Akiba, T. and Tanaka, Y. 2020. Salinity effects on the first larval stage of the invasive crab *Hemigrapsus takanoi*: Survival and swimming patterns. *Estuarine, Coastal and Shelf Science* 245, 106976,
<https://doi.org/10.1016/j.ecss.2020.106976>
- Sempere-Valverde, J., Pellón, J. G., Bazairi, H., Ostalé-Valriberas, E., Espinosa Torre, F. and García-Gómez, J. 2016. Observations and spread of the invasive algae *Caulerpa cylindracea* on the Strait of Gibraltar. *Front. Mar. Sci. Conference Abstract: XIX Iberian*

Symposium on Marine Biology Studies. <https://doi.org/10.3389/conf.FMAR.S.2016.05.00186>

- Tuset, V. M., Lombarte, A., Bariche, M., Maynou, F., Azzurro, E., 2020. Otolith morphological divergences of successful Lessepsian fishes on the Mediterranean coastal waters, *Estuarine, Coastal and Shelf Science* 236, 106631.
<https://doi.org/10.1016/j.ecss.2020.106631>
- Zhang, Z., Capinha, C., Usio, N., Weterings, R., Liu, X., Li, Y., Landeira, J. M., Zhou, Q. and Yokota, M. 2020. Impacts of climate change on the global potential distribution of two notorious invasive crayfishes. *Freshwater biology* 65(3).
<https://doi.org/10.1111/fwb.13429>

Other Ocean Stressors

- Baldé, B. S., Diadiou, H. D., Sow, F. N., Fall, M. and Brehmer, P. 2019. Dynamique du Yabóy mërëg et du Cobo au Sénégal dans un contexte de changement climatique : diagnostic et synthèse bioécologiques. *Les Notes Politiques de l'ISRA-BAME*. Dakar : ISRA-BAME, 4 pp. Available at: <https://www.documentation.ird.fr/hor/fdi:010076716> (accessed 18 October 2021)
- Lachkar, Z. and Gruber, N. 2012. Exploring the Future Evolution of Multiple Stressors in Eastern Boundary Upwelling Systems. *Ocean Carbon and Biogeochemistry News*. 5, 5-9.
- Maureaud, A., Frelat, R., Pécuchet, L., Shackell, N., Mérigot, B., Pinsky, M. L., Amador, A., Anderson, S. C., Arkhipkin, A., Auber, A., Barri, I., Bell, R., Belmaker, J., Beukhof, E., Lamine Camara, M., Guevara-Carrasco, R., Choi, J., Christensen, H. T., Conner, J., Cubillos, L. A., Diadiou, H. D., et al. 2021. Are we ready to track climate-driven shifts in marine species across international boundaries? - A global survey of scientific bottom trawl data. *Global Change Biology* 27(2), 220-236.
<https://doi.org/10.1111/gcb.15404>
- Poloczanska, E. S., Burrows, M. T., Brown, C. J., García Molinos, J., Halpern, B. S., Hoegh-Guldberg, O., Kappel, C. V., Moore, P. J., Richardson, A. J., Schoeman, D. S. and Sydeman, W. J. 2016. Responses of Marine Organisms to Climate Change across Oceans. *Front. Mar. Sci.* 3, 62.
<https://doi.org/10.3389/fmars.2016.00062>
- Riebesell, U., Aberle-Malzahn, N., Achterberg, E. P., Algueró-Muñoz, M., Alvarez-Fernandez, S., Arístegui, J., Bach, L. T., Boersma, M., Boxhammer, T., Guan, W., Haunost, M., Horn, H. G., Löscher, C. R., Ludwig, A., Spisla, C., Sswat, M., Stange, P. and Taucher, J. 2018. Toxic algal bloom induced by ocean acidification disrupts the pelagic food web. *Nature Climate Change* 8, 1082–1086. <https://doi.org/10.1038/s41558-018-0344-1>
- UNEP-MAP RAC/SPA, 2009. *Identification of important ecosystem properties and assessment of ecological status and pressures to Mediterranean marine and coastal biodiversity*. Bazairi, H., Ben Haj, S., Torchia, G., Limam, A., Rais, C. and Cebrian, D. (eds). RAC/SPA, Tunis, 100 pp.

Species distribution databases and tools

AquaNIS – Information system on aquatic non-indigenous and cyptogenic species:

<http://www.corpi.ku.it/databases/index.php/aquanis>

AquaNIS Editorial Board. 2015. *Information system on Aquatic Non-Indigenous and Cryptogenic Species*. World Wide Web electronic publication. www.corpi.ku.it/databases/aquanis. Version 2.36+. Accessed yyyy-mm-dd.

[Further information about citations at: <http://www.corpi.ku.it/databases/index.php/aquanis/>]

Banco de datos de biodiversidad de Canarias (BDBC) [Biodiversity data bank of the Canary Islands]: <https://www.biodiversidadcanarias.es/biota>

Information about citation at: <https://www.biodiversidadcanarias.es/biota/normas>

Especies introducidas de Canarias: <https://www.biodiversidadcanarias.es/exos>

European Alien Species Information Network (EASIN): <https://easin.jrc.ec.europa.eu/easin>

Trombetti, M., Katsanevakis, S., Deriu, I. and Cardoso, A. C. 2013. EASIN-Lit: a geo-database of published alien species records. *Management of Biological Invasions* 4(3), 261-264.
<http://dx.doi.org/10.3391/mbi.2013.4.3.08>

Global Invasive Species Database (GISD): <http://www.iucngisd.org/gisd>

Pagad, S., Genovesi, P., Carnevali, L., Scalera, R. and Clout, M. 2015. IUCN SSC Invasive Species Specialist Group: invasive alien species information management supporting practitioners, policy makers and decision takers. *Management of Biological Invasions* 6(2), 127–135.
<http://dx.doi.org/10.3391/mbi.2015.6.2.03>

Invasive Species Compendium (ISC): <https://www.cabi.org/ISC>

CABI. 2022. Invasive Species Compendium. Wallingford, UK: CAB International. www.cabi.org/isc.

[Information about citation of individual datasheets is available at:
<https://www.cabi.org/isc/citation>]

MarINvaders toolkit: <https://marinvaders.gitlab.io/marinvaders>

Lonka, R., Verones, F. and Stadler, K. 2021. The MarINvaders Toolkit. *Journal of Open Source Software* 6(64), 3575. <https://doi.org/10.21105/joss.03575>

National Estuarine and Marine Exotic Species Information System (NEMESIS):

<https://invasions.si.edu/nemesis/overview>

Fofonoff, P. W., Ruiz, G. M., Steves, B., Simkanin, C. and Carlton, J. T. 2018. *National Exotic Marine and Estuarine Species Information System*. <http://invasions.si.edu/nemesis/>. Access Date:

Ocean Biodiversity Information System (OBIS): <https://obis.org>

OBIS. 2022. *Ocean Biodiversity Information System*. Intergovernmental Oceanographic Commission of UNESCO. www.obis.org

Red de Alerta Temprana de Canarias para la Detección e Intervención de Especies Exóticas Invasoras (RedEXOS) del Gobierno de Canarias [Canary Islands' Early Warning Network for the detection of Invasive Alien Species]:

<https://www3.gobiernodecanarias.org/cptss/sostenibilidad/biodiversidad/redexos/app/map>

Red de Observadores del Medio Marino de Canarias (RedPROMAR) [The Observer Network of the Marine Environment of the Canary Islands]: <https://redpromar.org>

World Register of Introduced Marine Species (WRiMS):

<http://www.marinespecies.org/introduced>

Rius, M., Ah Yong, S., Costello, M. J., Galil, B. S., Gollasch, S., Hutchings, P., Katsanevakis, S., Lejeune, C., Marchini, A., Occhipinti, A., Pagad, S., Poore, G. C. B., Robinson, T. B., Sterrer, W., Turon, X., Willan, R. C. and Zhan, A. 2021. *World Register of Introduced Marine Species (WRiMS)*. <https://doi.org/10.14284/347>

World Register of Marine Species (WoRMS): <https://www.marinespecies.org>

WoRMS Editorial Board (2021). World Register of Marine Species. Available from <http://www.marinespecies.org> at VLIZ. Accessed yyyy-mm-dd. <https://doi.org/10.14284/170>

or

Horton, T., et al. 2021. World Register of Marine Species. Available from <https://www.marinespecies.org> at VLIZ. Accessed yyt-mm-dd. <https://doi.org/10.14284/170>

[Full citation at: <https://www.marinespecies.org/aphia.php?p=popup&name=citation>]