



PMEL

UNESCO IOC – NOAA International Tsunami Information Center (ITIC)

NOAA Pacific Environmental Laboratory,
NOAA Center for Tsunami Research (PMEL/NCTR)

Pacific Tsunami Warning Center (PTWC)

Tsunami Coastal Assessment Tool

TsuCAT



Dr. Laura Kong and Christa von Hillebrandt-Andrade,
UNESCO/IOC – NOAA International Tsunami Information Center (ITIC)
Christopher Moore, NOAA Center for Tsunami Research (NCTR)
Dr. Charles McCreery, PTWC

GLOBAL TSUNAMI WARNING AND MITIGATION SYSTEMS

Intergovernmental Oceanographic Commission of UNESCO
www.ioc-tsunami.org

2024

NEAMTWS

- CENALT/France
- IPMA/Portugal
- INGV/Italy
- KOERI/Turkiye
- NOAA/Greece

4 Regional Systems

- NEAMTWS
- IOTWMS
- PTWS
- CARIBE EWS

4 Regional Information


- NEAMTWS
- IOTWMS
- ITIC
- CTIC

PTWC is Tsunami Service Provider
 for the **PTWS** and **CARIBE-EWS**
(Pacific (46 countries) and Caribbean (49))

ITIC is Tsunami Information Center
 for the **PTWS** and supports **CARIBE-EWS**

Supporting the Regional System

- 5 – NE Atlantic, Mediterranean
- 3 – Indian Ocean
- 4 – Pacific Ocean
- 2 – Caribbean



151 MS (IOC, UNESCO, Associate MS)

36 – SIDS
 12 – African

have established National Tsunami Warning Focal Points/ National Tsunami Warning Centres

After Frolov, 2023, IOC update 2024




Tsunami Warning Decision Support Tools




ITIC-distributed, supported

- ❑ **Tsunami Bull Board Listserv** (ITIC, 1995) **468** science/tsu/govt (2025)
ADDR FOR POSTING: tsunami_bb@list.woc.noaa.gov
- ❑ **Real time EQ Display** (CISN, USGS / NTHMP, 2005), 346+ **v3.13.227** (Aug 2024)
NO PTWC EQ Observatory message. NO registration code required so cannot track nbr users
- ❑ **Real-time Sea Level monitoring**
 - Tide Tool – TWC operations monitoring (PTWC, 2005) **v10.71**
 - IOC Sea Level Monitoring web site (IOC, 2008)
- ❑ **Tsunami Travel Time Software** (ITIC, NGDC, 2007) – **SDK4.0.1, with GUI for PC**
- ❑ **Tsunami Historical Database Online** (WDS-NCEI), Offline (TsuDig, NCEI, ITIC, 2009)
- ❑ **Tsunami Hazard Assessment Tools** (2017) – PMEL, ITIC
 - ❑ **ComMIT/MOST inundation modeling => OTGA hybrid late 2026**
 - ❑ **Tsu Coastal Assessment Tool** (TsuCAT v4.5, Sep 2025) => PTWC messages from multiple countries, with community exercise injects, near-real time USGS earthquake ingest




TsuCAT: Tsunami Coastal Assessment Tool

- **Why / What:** Request by Pacific Islands for warning DSS
Gives country capacity to assess tsunami hazard.
Support better understanding, use of PTWC Forecast Products
- **Who:** Country agencies with Tsunami Hazard Assessment, Warning and Emergency Response responsibilities
- **Tool use:**
 - Planning tool - assess threat before – ‘energy beams’
 - Decision system support tool – Customize country sub-regions (polygons), Quick, early assessment through DB lookup
 - Exercise tool – develop scenarios to use (from v4.0, 2019)



□ **Features:**

- Database (NOAA Propagation DB – fault catalog based on Slab 2, extended by E. Giest USGS): ~5400 earthquake scenarios from along active subduction zones, Pacific, Caribbean, Indian Ocean (M6.5-9.5)
- Scenarios from Expert Meetings (Caribbean, Pacific)
- Results from NOAA models (MOST/SIFT (M8+), RIFT (M6.5-7.9)
 - Offshore max amplitude / coastal wave amplitude (Green's Law)
 - PTWC or User custom forecast polygons
- Exercise Messages and Injects
- Near real-time threat w/USGS EQ alerts







PTWC Text and Graphical Tsunami Products



- ❑ Issued when there is a potential tsunami threat (~M7.1+)
- ❑ Help Countries determine tsunami alert levels for their coasts

Public Text Product (tsunami.gov)

Graphical Products (only sent by email to Country TWC)



Forecast Statistics

US - RUN ID 2818852811346


ates: 35.95 73.3w Depth: 823M Magnitude: 8.8

the UNESCO/IOC Pacific Tsunami Warning and Mitigation System and its system, National authorities will determine the appropriate national or more refined information.

Actual amplitudes at the coast may vary from forecast amplitudes due to uncertainties in the forecast and local features. In particular, maximum tsunami amplitudes on atolls will likely be much smaller than the forecast indicates.


Region Name	Coastal Forecast (meters)				Offshore Forecast (meters)				Total
	Maximum	Mean	Median	STD	Maximum	Mean	Median	STD	
South_Central_Chile	11	2.18	2.18	0.18	6.3	2.18	2.18	1.48	18
Juan_Fernandez_Archipelago	11	8.88	8.18	1.8	2.8	8.86	8.63	0.53	18
North_Central_Chile	5.5	2.18	1.98	1.88	1.8	2.18	2.18	0.48	24
Mariquesa_Islands	4.2	2.18	2.18	0.48	1.8	2.18	2.18	0.48	24
Puñera_Island	4.2	2.18	2.18	0.48	1.8	2.18	2.18	0.48	24
Santa_Islands	2.1	2.18	2.18	0.48	1.8	2.18	2.18	0.48	24
Southern_Peru	2.0	1.58	1.48	0.15	1.8	0.51	0.48	0.11	86
Society_Islands	1.8	1.28	1.27	0.08	0.27	0.28	0.47	0.28	25
Hawaii	1.8	1.18	1.08	0.52	0.84	0.52	0.29	0.14	147
Line_Islands_Kiribati	1.8	1.28	1.48	0.24	0.28	0.15	0.18	0.17	3
Izu_and_Ogasawara_Islands_Japan	1.7	1.48	1.48	0.38	0.38	0.29	0.29	0.09	2
Philippine_Islands	1.6	0.98	0.98	0.29	1.5	0.28	0.28	0.19	388
East_Coast_of_Japanese_Main_Islands	1.6	0.94	0.93	0.22	1.6	0.53	0.48	0.28	484
Central_Peru	1.6	1.08	0.96	0.23	0.88	0.56	0.54	0.11	118
Northern_Chile	1.5	1.18	1.18	0.14	1.2	0.36	0.32	0.16	118

Propagation and Coastal Forecasts



Deep water amplitude forecast as described by the color scale.

Coastal Hazard Guidance (CHG)



Coastal amplitude forecast as described by the color scale.

Coastal Hazard Guidance – Green’s Law



- **PTWC RIFT Model uses Green’s Law to quickly estimate coastal ampli**
 - Modeling on fine-scale coastal grids takes too long, even on supercomputers
 - PTWC does not have access to fine-scale bathymetry for all coasts

Green’s Law:

$$\eta_s \cong \eta_d \left(\frac{H_d}{H_s} \right)^{1/4}$$


η_s wave amplitude at shoreline point

η_d wave amplitude at nearest deep ocean grid point

H_d water depth at nearest deep ocean grid point


H_s water depth at shoreline point

Offshore Tsunami Amplitude (10 cm)	Shoreline Amplitude from Green’s Law (1 m water depth)	
Water Depth	Amplitude	Amplification
1000 m	56 cm	5.6
500 m	47 cm	4.7
100 m	32 cm	3.2
50 m	27 cm	2.7



Coastal Hazard Guidance - improvement

Wave shoaling: Green's Law, plus Modified Amplification Factor



- Modifications to plane-wave ampl: $a \propto h^{1/4}$
- Model runs on 4 arcmin grids: deeper reference depth (to account for poorly resolved shelf waves)
- Steep slopes (atoll, $> 1:10$): $a = 1.25$ (approximately profile #1, Løvholt 2012)
e.g., much reduced AF1.25 compared to 50-meter AF 2.69



TsuCAT - Background







□ Requirements:

- Offline (no internet required) - portable
Online (internet, adds geographic map tiles (OpenStreet, ESRI))
- Platform: Windows, Linux, Macintosh; Java v1.8
- Storage: 28 GB; No installation - run from flash drive
- Bathymetric grid resolution: MOST (compute 4 arc-min), RIFT (compute 4 arc-min decr to 30 arc-sec)

□ Layers

- Offshore Wave Amplitude, Coastal Hazard Guidance, Travel Time
- PTWC coastal polygons, or user-customized
- Results export – model, regional report
- Reference information: Historical Seismicity(USGS, NOAA NCEI Significant), Tsunami Obs (NOAA NCEI), USGS Plates, Place names
- User-supplied maps (polygon shape files), Quick guide tutorial
- PTWC Enhanced Products Exercise messages

Scenarios - NOAA Propagation DB, Historical Tsunamis



Tsunamigenic Earthquakes, 1700-present

Date	Mw	Latitude	Longitude	Country
1960-05-22 19:11	9.5	38.143° S	73.407° W	CHILE
1964-03-28 03:36	9.2	61.017° N	147.648° W	ALASKA
2011-03-11 05:46	9.1	35.237° N	140.873° E	JAPAN
2004-12-26 00:58	9.1	3.316° N	95.854° E	INDONESIA
1730-07-08 08:45	9.1	32.500° S	71.500° E	CHILE
1952-11-04 16:58	9.0	52.755° N	160.057° E	RUSSIA
1700-01-27 05:00	9.0	45.000° N	125.000° W	US - CONTINENTAL
2010-02-27 06:24	8.8	36.122° S	77.898° W	CHILE
1965-02-04 05:01	8.7	51.290° N	178.530° E	ALASKA
1922-11-11 04:32	8.7	28.533° S	70.755° W	CHILE
1897-09-21 05:12	8.6	122.000° E		PHILIPPINES
2012-04-11 08:38	8.6	93.063° E		INDONESIA
2005-03-28 16:00	8.6	3.985° N	99.498° E	INDONESIA
1957-03-09 14:22	8.5	4.985° N	153.985° W	ALASKA
1946-04-01 12:29	8.5	4.985° N	153.985° W	ALASKA
0887-08-26 00:00	8.6	35.000° N	135.300° E	JAPAN
0869-07-13 00:00	8.5	35.000° N	135.300° E	JAPAN
1963-10-13 05:17	8.5	0.988° N	79.347° W	ECUADOR
1938-02-01 19:04	8.5	0.988° N	79.347° W	ECUADOR
1906-01-31 15:36	8.5	0.988° N	79.347° W	ECUADOR

Select from:

- Tsunamigenic Eqs,
- UNESCO Expert mtgs
- User-chosen





- WR-255_Earthquake_tsunami_sources_NorthernHaiti_2013.pdf
- WR-275_Scientific_meeting_of_experts_for_coordinated_scenario...hemes_for_the_South...
- WR-276_Sources_tsunamis_Dominican_Republic_2016.pdf
- WR-278_Tsunami_Hazard_in_Central_America_Historical_Events_and_Potential_Sources_C...
- WR-289_Experts_Meeting_on_Tsunami_Sources_Tonga-Kermadec.pdf
- WR-291_Experts_Meeting_on_Sources_of_Tsunamis_in_the_Lesser_Antilles_2020.pdf



2011 Great East Japan, M9.1 – Data / Result Layers

Requested Epicenter, Lat: Lon: Closest in Catalog, Lat: Lon: (34 [km] away)

Mw: Event:



Use Internet Connection:

Stream Map Tiles from Internet: (must "Use Internet Connection" for)

Set Map Tile Provider: Open Street Map Open Street Map H.O.T. ESRI World Topo ESRI National Geographic

Clear Tile Cache


Show Disclaimer on Startup:

Coastal Hazard color bins:

- Extreme (default 300 cm)
- High (default 100 cm)
- Medium (default 30 cm)
- Low (default 1 cm)

Offshore Wave Ampl Colormap:

- NCTR
- SIFT
- PTWC



TsuCAT – Tool Applications






- ❑ **Hazard Assessment** - conduct study to determine worst case, or likely impact, to a country's coast from different scenarios
- ❑ **Exercise development** - decide which scenario to use for a tsunami exercise, generate PTWC exercise messages
- ❑ **Response Planning** – use scenarios to develop tsunami response plans, protocol and procedures (SOPs)
- ❑ **Warning decision making** – estimate tsunami impact using the nearest similar scenario during a real event (early assessment prior to receiving PTWC forecast products)






Uses: Threat Assessment

What location is most dangerous to Fiji for a M8.7?




Uses : Threat Assessment

What size earthquake is most dangerous?
Aleutian Trench source: M8.0, 8.5, 9.0



Uses : Overlay of additional data layers



Oahu, Hawaii

- Evacuation map
- NCEI runup data

Uses: Generate Exercise messages with Injects

- ❑ **PTWC Public Text and Enhanced Products for multiple countries for events in pre-computed Pacific and Caribbean database**
- ❑ **Situational Injects for responding to based on selected scenario**
- ❑ **Password protected – to minimize ‘hoaxes’**
- ❑ **Set Event (historical database or by mouse, origin time, magnitude)**
- ❑ **Select Menu - “Generate Exercise Messages”**
 - “Include Exercise Injects” (optional, customize)
 - “Generate” (PTWC Text Messages, Enhanced Products (graphical, polygon table, kmz file))
 - Output folder, e.g., message/2019-04-02_0000_M9.0_Russia_PTWCproducts
- ❑ **Varying issue time and magnitude update**



Exercise Situational Injects

- ❑ Injects enable customization
- ❑ Injects: unexpected scenario, questions, inquiries related to PTWC messages
- ❑ Excel format (can adjust, add)

Exercise Injects

Set Country:

Name/Acronym of Tsunami Warning Center:

Head of Tsunami Warning Center:

Name of Earthquake Monitoring Agency:

Name/Acronym of Emergency Management Agency:

Government lead (eg, President, Senator, Prime Minister):

Member of the Public:

Media (TV, Radio) station:

Exercise Injects filename (Excel):

Inject #	Time (UTC)	Time Since Event [hhmm]	Exercise Time Local	Product/Inject	To	From
Earthquake - Origin: 09/25/2025 15:46 UTC Coordinates: 36.0S 73.2W Depth: 23km Magnitude: 8.8						
1	1546		0 0546	Earthquake Occurs!	All	Controller
2	1548		2 0548	Earthquake alarms trigger from P wave amplitudes off-scale at regional seismic network station	All	Controller
3	1549		3 0549	CSN calculates Preliminary Earthquake Parameters: 36.0° S, 73.2° W, 8.1, depth unknown.	All	Controller
4	1551		5 0551	CISN Display shows PTWC Earthquake Information, M8.7	All	Controller
5	1552		6 0552	PTWC Message 1: PTWC Tsunami Threat Message Initial M8.7	SNAM	PTWC
6	1553		7 0553	The shaking woke me up and my house was shaking for more than 60 seconds. Some power lines fell down are down. What has just happened? Where was the earthquake? Is there a tsunami? When will it hit?	SENAPRED /SNAM	Coastal Resident
7	1600		14 0600	PTWC Message 2: PTWC Tsunami Threat Message Magnitude Update M8.8	SNAM	PTWC
8	1608		22 0608	Many coastal provinces and local governments hear media reports that PTWC is forecasting waves more than 2.3-meters. A school principal calls: What should she do? Her school is on the beach!	SENAPRED /SNAM	Local Government
9	1610		24 0610	PTWC Message 3: PTWC Tsunami Threat Message Regional M8.8	SNAM	PTWC
10	1611		25 0611	Televisión Nacional de Chile (TVN) News broadcasts live video of start of surf contest at North Coast beach. It looks like a great day and waves look to be 3 m high. Surf's up. There are surfers heading into the water, and crowds are gathering	SENAPRED /SNAM	Media
11	1615		29 0615	TWC confirms tsunami at gauge: TALCAHUANO by Tide Tool, measured 13.4 m at 1614 UTC, Wave Period 36 min	TWC	Controller
12	1620		34 0620	PTWC Message 4: PTWC Tsunami Threat Message Pacific M8.8	SNAM	PTWC
13	1620		34 0620	CHILE President calls and wants an update immediately as to what going on and what actions are being undertaken. What is expected for our country and when? Do we need to call a Tsunami Warning?	SNAM	President
14	1630		44 0630	TWC confirms tsunami at gauge: VALPARAISO by Tide Tool, measured 2.0 m at 1630 UTC, Wave Period 37 min	TWC	Controller

How to use - simple

- ❑ Run from flash drive (or can copy to hard disk, 28 GB)
- ❑ Requirement – Java 1.8x installed <https://java.com/en/download/>
- ❑ Click on application (Window, Mac, Linux)
 - On 1st time opening, use start password (Inund8ed)
 - Then set ‘personal’ password (unique to user)
 - Default is ‘No Internet’
 - With Internet, on starting, will
 - ❑ Update EQ & Tsunami database files, e.g., ingests latest USGS earthquake hypocenters, and shows threat assessment
 - ❑ Use addtl online map databases (more detailed but req bandwidth)
 - For exercise messages/injects tool, enter password (genr8mess)



Intergovernmental
Oceanographic
Commission



PMEL

UNESCO IOC – NOAA International Tsunami Information Center (ITIC)

NOAA Pacific Environmental Laboratory,
NOAA Center for Tsunami Research (PMEL/NCTR)

Pacific Tsunami Warning Center (PTWC)



Thank You

TsuCAT: <https://tsunami.ioc.unesco.org/en/tsucat>
<https://tsunami.ioc.unesco.org/en/>

Tools & Products: <https://tsunami.ioc.unesco.org/en/tools-products>

Email: ITIC: itic.tsunami@noaa.gov, laura.kong@noaa.gov

NCTR: Christopher.Moore@noaa.gov